

Date: Monday, 2/19/2007 8:59:46 AM  
 User: Kim Johnston

## Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : WEARSHOE
Job Number : 30760	
Estimate Number : 12740	
P.O. Number : N/A	Part Number : D353523
This Issue : 2/19/2007 S.O. No. : N/A	Drawing Number : D3535 UNDER REVIEW REV A PH 070219
Prsht Rev. : NC	Project Number : N/A
First Issue : N/A	Drawing Revision : U/R
Previous Run : N/A	Material : N/A
Written By : <u>[Signature]</u>	Due Date : 2/26/2007
Checked & Approved By : <u>[Signature]</u> 07.02.19	Qty: 13 Um: Each
Comment : Est Rev: A New Issue 07-02-15 JLM	

## Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	M304S20GA	304/316 .040 Sheet
-----	-----------	--------------------



Comment: Qty.: 1.4296 sf(s)/Unit Total : 17.1549 sf(s)

304/316 .040 Sheet

(M304S20GA)

Batch: M101873

SAD

07/02/25

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET

1-Cut as per Dwg D3535

Dwg Rev: A

Prog Rev: A

SAD 07/02/25

2-Deburr if necessary

S

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SAD

07/02/25

4.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

S

0702.25

5.0	BRAKE NC	NC BRAKE
-----	----------	----------



Comment: NC BRAKE

1-Form on Brake as per Dwg D3535 using Jigs DT8261 and DT8326

2-Form joggle as per Dwg D3535 using Jig DT8158

3-Identify as D3535-23

MF. SB

07-03-05

07/03/06 13

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: LD Date: 07/03/08  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 2/19/2007 8:59:46 AM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARSHOE

Job Number: 30760

Part Number: D353523

Job Number:



Seq. #: Machine Or Operation: Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

07/03/07 (13)

7.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

M101601

07-03-07 (13)

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

a.m

07/03/07

(13)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock  
Location: FL

07

07-03-08

(13)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07/03/08

Job Completion



07-03-08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

**DART AEROSPACE USA, INC.**  
PORT HADLOCK, WA

PORT HADLOCK, WA

DESIGN  
CB

---

CHECKED

DRAWN BY	CB
APPROVED	

**DRAWING NO.**

REV. A





**CHECK**

**APPROVED**

## DRAWING

**NO.**

REV.



## NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE  
(0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDEX (4.3.5.6) PER  
QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS 4.50 LINE  
OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT  
PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 30760

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.


**Copyright © 2006 by DART AEROSPACE USA, INC.**

Copyright © 2006 by DART AEROSPACE USA, INC.


**DART**

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	REV. A
CB	CB	PORT HADLOCK, WA	
CHECKED PH	APPROVED H	DRAWING NO. D3535	SHEET 2 OF 7
DATE 06.10.25	TITLE WEARSHOE	SCALE 1:10	


07.02.12  
H




**D3535-15F FLAT PATTERN**



**D3535-15 BEND DETAIL**



**D3535-21F FLAT PATTERN**



**D3535-21 BEND DETAIL**

**NOTES**


- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT  $\phi$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 30760


# DART

DESIGN <b>CB</b>	DRAWN BY <b>CB</b>	<b>DART AEROSPACE USA, INC.</b> PORT HADLOCK, WA
CHECKED <b>PH</b>	APPROVED <b>PH</b>	DRAWING NO. <b>D3535</b>
DATE <b>06.10.25</b>	TITLE <b>WEARSHOE</b>	REV. A SHEET 3 OF 7
	SCALE <b>1:10</b>	


07.02.12




**D3535-23F FLAT PATTERN**



**D3535-23 BEND DETAIL**



**D3535-25F FLAT PATTERN**



**D3535-25 BEND DETAIL**

**NOTES**


- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

SHOP COPY  
RETURN TO  
ENGINEERING  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. **30760**

**DART**

DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	TITLE	WEARSHOE	REV. A
		DRAWING NO.	D3535	SHEET 4 OF 7
		SCALE	1:10	

07.02.12 CH



**D3535-31F FLAT PATTERN**




**D3535-31 BEND DETAIL**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 20760

**NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT  $\phi$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



**D3535-33F FLAT PATTERN**




**D3535-33 BEND DETAIL**



**DART**

DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	DRAWING NO.	D3535	REV. A
		TITLE	WEARSHOE	SHEET 5 OF 7
		SCALE	1:10	

070212 CH



**D3535-35F FLAT PATTERN**




**D3535-35 BEND DETAIL**

NO. 30760  
WORK ORDER  
WITHOUT NOTICE  
UNCONTROLLED COPY  
ENGINEERING  
RETURN TO  
SHOP COPY

**NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT  $\phi$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



**D3535-37F FLAT PATTERN**




**D3535-37 BEND DETAIL**


**DART**

DESIGN <b>CB</b>	DRAWN BY <b>CB</b>	DART AEROSPACE USA, INC. PORT HADLOCK, WA
CHECKED <b>AF</b>	APPROVED <b>AF</b>	DRAWING NO. <b>D3535</b>
DATE 06.10.25	TITLE WEARSHOE	REV. A SHEET 6 OF 7
	SCALE 1:10	


07.02.12




**D3535-39F FLAT PATTERN**



**D3535-39 BEND DETAIL**



**D3535-41F FLAT PATTERN**



**D3535-41 BEND DETAIL**

**NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT  $\phi$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE

WORK ORDER  
NO. 20760




DESIGN <b>CB</b>	DRAWN BY <b>CB</b>	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3535	REV. A SHEET 7 OF 7
DATE 06.10.25		TITLE WEARSHOE	SCALE 1:1


REWORKED  
07.02.12 *[Signature]*



**DETAIL B**



**DETAIL A**



**SECTION C-C**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 30760

Copyright © 2006 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b> 30760
<b>Description:</b>		<b>Part Number:</b> D3535 25
<b>Inspection Dwg:</b>	<b>Rev:</b>	Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☒ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
52.850	+/- 0.000	52.850	✓		M-T	
47.200	+/- 0.010	47.200	✓		M-T/Vern	
44.700	+/- 0.010	44.700	✓		M-T	
39.300	+/- 0.010	39.300	✓		M-T	
33.920	+/- 0.010	33.920	✓		M-T/Vern	
28.530	+/- 0.010	28.525	✓		M-T/Vern	
23.140	+/- 0.010	23.140	✓		M-T Vern	
17.750	+/- 0.010	17.750	✓		M-T/Vern	
14.250	+/- 0.010	14.250	✓		M-T	
9.500	+/- 0.010	9.504	✓		Vern	
4.750	+/- 0.010	4.753	✓		Vern	
2.000	+/- 0.010	2.000	✓		Vern	
6.00	+/- 0.030	6.00	✓		Vern	
8.00	+/- 0.030	8.00	✓		Vern	
16.00	+/- 0.030	15.99	✓		Vern	
24.00	+/- 0.030	24.00	✓		M-T	
32.00	+/- 0.030	32.00	✓		M-T	
39.00	+/- 0.030	39.00	✓		M-T	
48.00	+/- 0.030	48.00	✓		M-T	
2.000	+/- 0.010	2.000	✓		Vern	
1.885	+/- 0.010	1.889	✓		Vern	
0.300	+/- 0.010	0.292	✓		Vern	
0.300	+/- 0.010	0.297	✓		Vern	

<b>Measured by:</b> SAN	<b>Audited by:</b> BG	<b>Prototype Approval:</b>
<b>Date:</b> 07/02/25	<b>Date:</b> 07.02.25	<b>Date:</b>

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	

